

Notice of Allowability	Application No.	Applicant(s)	
	10/680,259	CHANG, CHIH-KAI	
	Examiner	Art Unit	
	James R. Harvey	2833	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to papers originally filed 10-08-03.
2. ☒ The allowed claim(s) is/are 1-9.
3. ☒ The drawings filed on 08 October 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____ |

DETAILED ACTION

Reasons for Allowance

- The allowed claims are 1-9.
- The following is a statement of reasons for the indication of allowable subject matter:

The prior art does not show a front housing having a rear coupling side with slots cut through a bottom wall of a front receiving chamber and a part of the rear coupling side, a rear housing, a terminal holder, both the rear housing and terminal holder each have front coupling sides that are abutted against the rear coupling side of the front housing in combination with all the other elements of the claim and the examiner knows of no permissible motivation to combine the prior art such that the subject matter as a whole would have been obvious at the time the invention was made.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

- Effective May 1, 2003, the United States Patent and Trademark Office has a new Commissioner for Patents address. Correspondence in patent related matters must now be addressed to:

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

For additional information regarding the new address, see Correspondence with the United States Patent and Trademark Office, 68 Fed. Reg. 14332 (March 25, 2003).

Art Unit: 2833

- Any inquiry concerning this communication or earlier communications from the examiner should be directed to James R. Harvey whose telephone number is 571-272-2007. The examiner can normally be reached on 8:00 A.M. To 5:00 P.M.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paula A. Bradley can be reached on 571-272-2800 extension 33.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-2800.

- Effective **October 1, 2003**, all patent application related correspondence transmitted by facsimile must be directed to the central facsimile number, **(703) 872-9306**, with a few exceptions below in Part B. Replies to Office actions including after-final amendments that are transmitted by facsimile must be directed to the central facsimile number. Unofficial correspondence such as draft proposed amendments for interviews may continue to be transmitted by facsimile to the Technology Centers. *See Fax Automation in Technology Center 1700, 1237 Off. Gaz. Pat. Office 140* (August 29, 2000).

- James R. Harvey, Examiner

jrh
July 2, 2004


P. AUSTIN BRADLEY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800